# ST. MARY'S COUNTY GOVERNMENT DEPARTMENT OF LAND USE AND GROWTH MANAGEMENT

Derick Berlage, Director Phillip J. Shire, Deputy Director



#### **BOARD OF COUNTY COMMISSIONERS**

Francis Jack Russell, President Kenneth R. Dement, Commissioner Lawrence D. Jarboe, Commissioner Thomas A. Mattingly, Sr., Commissioner Daniel H. Raley, Commissioner

# CRITICAL AREA BUFFER MANAGEMENT PLAN APPLICATION FOR SINGLE LOT

## **PROPERTY INFORMATION:**

Address:
Phone number: E-mail:
Project Address (if different):
Critical Area Designation:
Tax Map: Parcel: Lot:
PROPOSED BUFFER DISTURBANCE:
New development/redevelopment (e.g. new building, addition to home, replacement of structures) (Associated permit)
Shore Erosion Control (Associated permit)
Shore Access
Horticultural
Other, please explain:
Is the property in a designated Buffer Exemption Area (BEA)?YesNo
Are there any special plat notes or restrictions concerning your Buffer (e.g. wetlands, habitat protection areas, conservation easements)?YesNo If yes, please explain:
DESCRIBE PROPOSED PROJECT Include area and/or number of trees cleared as well as the type of equipment that will be used.

DESCRIBE EXISTING CONDITONS OF YOUR BUFFER Include a description of slopes, vegetation, wetlands, and any Habitat Protection Areas. Attach Photographs.			
PROVIDE A JUSTIFICATION FOR ANY PROPOSE	D BUFFER DISTURBANCE		
<b>DESCRIBE LONG TERM MANAGEMENT PLANS</b> Include a description of any monitoring and watering of ne	ew plants, invasive species control, etc.		
Attack additional mass if massesses.			
Attach additional pages if necessary.			
CALCULATION OF MITIGATION The following three-step process is used to compute the an the purposes of this Buffer Management Plan, mitigation is negate the effect of the Buffer disturbance. To determine the need to do the following:	s defined as plantings or similar offsets that will help to		
1. Amount of Buffer disturbance for clearing, grading, There are two ways to calculate the amount of disturbance area disturbed or the number of individual trees that will be more closely resembles a natural forest (i.e. canopy cover impervious surfaces are placed within the Buffer or BEA, disturbance amount in area cleared. On the other hand, if y scattered trees with little or no understory), it is recommendated.	in the Buffer. Buffer disturbance is based on either the e cut. It is recommended that when an area to be disturbed with multi-layer understory) or when structures or other even if no trees are cleared, you should quantify the our site more closely resembles a park setting (i.e.		
Area of Buffer cleared or disturbed	square feet		
OR			
Number of trees cleared	trees		

2. Mitigation Ratio for the Type of Buffer Impact

Different types of Buffer management activities require different mitigation ratios. Higher ratios are used for activities that have a greater impact upon the Buffer. The purpose of the mitigation is to improve the Buffer functions where possible. The table below provides the mitigation ratio for different types of Buffer management activities.

Type of Buffer Disturbance	Mitigation Ratio	
New development/redevelopment	-	
Non-BEA	3:1	
BEA	2:1	
Shore Erosion control	1:1	
Shore Access	2:1	
Horticultural (removal of exotics,	1:1	
dead or dying trees/shrubs)		
Other	Contact Land Use and Growth Management	
3 Mitigation amount calculated by multi-	nlying the area disturbed or number of trees by the mitigation	

# 3. Mitigation amount calculated by multiplying the area disturbed or number of trees by the mitigation ratio.

Square feet	by ratio above	e=	 square feet
OR			
Trees	by ratio above _	=_	 trees

#### **Buffer Planting Plan**

All mitigation planting should be located within the Critical Area in the following order of preference:

- 1. On-site within the Buffer
- 2. On-site adjacent to the Buffer
- 3. On-site within the Critical Area
- 4. On-site outside of the Critical Area, but adjacent to a stream or existing forest.
- 5. Off-site (follow order of preference 1-3 above)
- 6. Fee-in-lieu payment (contact Land Use and Growth Management)

## Mitigation Credits for Various Size Trees and Shrubs

Credit (square feet)	Plant Size	Approximate Plant Spacing
400	2" caliper trees	20'x20'
200	1" caliper trees	15'x15'
120	Hardwood whips	11'x11'
70	Seedlings/acre	8'x8'
200	Shrubs (3 gallon)	15'x15'

Source: St. Mary's County Comprehensive Zoning Ordinance Schedule 72.3.5: Critical Area Planting Specifications

#### SCHEMATIC DRAWING

Please attach a schematic drawing to scale identifying areas of impact to the Buffer, indicate on plan existing trees and shrubs if possible, and the proposed location for replanting within the Buffer. Show the location of the Critical Area Buffer. Indicate on the drawing the specific types of vegetation that will be used for mitigation. Indicated where photos were taken.

## **AUTHORIZATION**

I certify these statements to be true and accurate and that any trees to be removed are on my property. I hereby Plans.

grant St. Mary's County officials permission to enter my	property for inspections of this Buffer Management I
Applicant Signature/Date	

## Sample Site Plan for Buffer Management Plan Application

